

Bush Fire Preparation Map



WONBOYN (EXTENDED AREA)



PRODUCTION INFORMATION

Base Data: LPMA Cadastre and Topo Database Map Projection: GCS GDA 1994

Print Date / Time: 11/07/2013 Produced by: K WHITE NSW RFS CSC

Approved: 04/07/2013

WARNING INFORMATION

- 1. This map has been prepared by the NSW Rural Fire Service ("The Service") using data supplied to it by other agencies and entities. See the "Data Dictionary" for further information about the sources of this data.
- 2. The Service has not verified or checked the data used to prepare this map. The map may contain errors and omissions. The Service has not made any attempt to ground truth the map.
- 3. There will be a margin of error in relation to the location of features recorded on the map. The Service is unable to specify the extent or magnitude of that margin of error.

4. Significant changes may have occurred;

i. In the time between which the data was originally collected and the map produced; and ii. Since the map was produced

- 5. Users must, wherever possible, ground truth the map before relying on it or the accuracy of the map or the information recorded on the map for any purpose.
- 6. The Service accepts no responsibility for any injury loss or damage arising from the use of this map or any errors or omissions in the information recorded on the map.

Τ		WORKS PROGRAM					Zone	Purpose	Supression Objectives	Zone Characteristics
	Map Ref No.	Strategy	Action	'n	Responsible Agency	Target / Action Date (Year)		To proto at human life	To enable the sefering of Direct	As non DEC de sum ant Otan danda fan Assat
			HR- Inspect SFAZ and APZ. Maintain SFAZ & APZ in Wonboyn in line with VPP			2013/14, 2014/15, 2015/16 Asset Protection Zone	To protect numan life,	10 enable the safe use of Direct	As per RFS document Standards for Asset	
	1	Hazard Reduction			DL, LGA, Private		2015/16 Zone Zone	public assets and values.	the zone. To minimise bush fire	Frotection Zones.
		Preparedness	Maintain CPP		DL, LGA, DECC, Private, RFS, FCNSW	2013/14, 2014/15, 2015/16				
		Community Engagement	ent Conduct Community Engagement Activities		RFS	2013/14, 2014/15, 2015/16				
	2					Inaccordance with BFCC				
	-	Preparedness	Inspect Fire Trails; Undertake routi	ine maintenance if required.	DECC, FCNSW, RFS	02/2007 Fire Trails Policy	Strategic Fire	To provide strategic areas	To improve the likelihood and safe use	Zone width related to suppression objectives and
	3						Advantago	of fire protection advantage	of:	dependant upon:
		Hazard Reduction Maintenance of Strategic lineal bi	Maintenance of Strategic lineal bre	eak along Wonboyn Road	BVSC (RFS)	2012/13, 2015/16		which will reduce the speed	Parallel Attack suppression strategies	•Topography
					2012/13, 2013/14, 2014/15,	Zone	and intensity of bush fires,	within the zone.	•Aspect	
		Hazard Reduction Carry out Hazard Reduction Burns in SFAZ as per b 4 Hazard Reduction Maintain NSP 5 Hazard Reduction Implement proposed SFAZ in FNSW. Conduct Hotspots program with residents on large Conduct Hotspots program with residents on large		IN SEAZ as per burn schedule DECC, FCNSW, RFS, Private		2015/16	41	and reduce the potential for	and/or	•Spotting propensity
	4			N/	BVSC (RFS)	2013/14, 2014/15, 2015/16,		spot fire development; To aid containment of wildfires to existing	Indirect Attack (back burning) in high to very high fire weather conditions within the zone.	•Location of aujacent inebreaks
	5			v. vsidents en large blocks	FCNSW	2013				Assess Overall Fuel Hazard (OFH) once
		Property Planning	rty Planning Surrounding Wonhove Village		RES (DECC ECNSW DECW NCC)	2013/2014 2014/15				vegetation communities reach minimum fire
	L	in opercy naming	Surrounding Wonboyn Vindge		113 (DECC) T CH311, DECH, NCC)	2013/2014/2014/13		management boundaries.	Crown fire development within the zone	thresholds within this plan.
	6		Maintain APZ around dwellings in Residential Preparation Zone						and/or Spot fire ignition potential from the zone.	Management practices should aim to achieve
		Preparedness and develop and maintain Bush Fire		re Survival Plan.	Private	Ongoing Annually				mosaic fuel reduction patterns so that the majority of the SFAZ has an OFH of less than high.
	Hazard Reduction Inspect and Maintain easements (slashing / sprayin		slashing / spraying works)	Essential Energy	Ongoing Bi-annually		<u> </u>	To increase the second second second second		
	Is your property fire-safe?			 Cut back any overhanging trees or shrubs and dispose of cuttings appropriately. Check the condition of your roof and replace any damaged or missing tiles. Clean leaves from the roof, gutters and downpipes and fit quality metal leaf guards. Non-combustible fences are the most effective at withstanding the intense heat generated by bush fire. Plant trees and shrubs that are less likely to ignite due to their low oil content. 			Resident Preparation Zone	have a vital role to play in bush fire risk management and that they are responsible for their own property preparedness.	for bush fire and ensure that vegetation in close proximity to residential assets are adequately maintained. To provide a defendable space for residents / fire fighters and complement hazard reduction works carried out within Asset Protection Zones / Strategic Fire Advantage Zones.	Safe' property as outlined in the illustration above. Concerns regarding the bush fire safety of neighbouring properties should be raised with the NSW Rural Fire Service.
							Proposed Asset Protection Zone LEC Proposed Strategic Fire Advantage Zone		GEND FireTrails	Category 9, Essential
									Category 1, Essential	Category 9, Important
4									e Category 1, Important	Category 9, Dormant
				 If you have a water tank, dam or swimming pool, consider installing a Static Water Supply sign (SWS). Enclose sub-floor areas. Store wood piles well away from the house and keep covered. 			Asset Protection Zone	Category 1, Dormant	Category 9, Unassigned	
								ection Zone	Category 1, Unassigned	Unassigned, Essential
							Strategic Fire Advantage Zone		Category 7, Essential	Unassigned, Important
				9. Keep garden mulch away from the house and keep grass short.					Category 7, Important	Unassigned, Dormant
				10. Make sure the pressure relief valves on LPG cylinders face outwards.			Residential Preparation Zone		Category 7, Dormant	Unassigned, Unassigned

home.

14. Have a non-combustible doormat.

12. Remove and store any flammable items away from the house.

Proposed Fire Trail 11. Ensure you have a hose which is long enough to reach every part of the ----13. Install metal fly-wire or solid screens to the outside windows and doors. B VIVAL UR PLAN

Have you prepared your Bush Fire Survival Plan? Download a copy of the Bush Fire Survival Plan from www.rfs.nsw.gov.au

<Null>, <Null>

Category 7, Unassigned